

Cable Clamps - Rail



Filoform supply a full range of Network Rail approved cable clamps, suitable for the direct fixing of both individual and bundled cables. Manufactured from Hot Dip Galvanised Steel, the clamps offer excellent protection against corrosion.

Features

- Hot Dip Galvanised Steel
- Manufactured in accordance with DIN 4102-12
- Network Rail Approved
- Cable range 12mm to 36mm accepted
- Suitable for single or double cable configurations



Specifications

Pad number	Filoform part number	Clamp type	Cable range min (mm)	Cable range max (mm)	Pack Qty (mm)
86/043600	460000	Single	12	16	1
86/043601	460010	Single	16	20	1
86/043602	460020	Single	20	24	1
86/043603	460030	Single	24	28	1
86/043604	460040	Single	28	32	1
86/043605	460050	Single	32	36	1
86/043606	460060	Double	12	16	1
86/043607	460070	Double	16	20	1
86/043606	460080	Double	20	24	1
86/043606	460090	Double	24	28	1
86/043606	460100	Double	28	32	1

[More info](#)



Products

Art.nr.	Product Name	Order unit
86/043600	Single clamp (cable range, 12 - 16mm O/D)	Per clamp
86/043601	Single clamp (cable range, 16 - 20mm O/D)	Per clamp
86/043602	Single clamp (cable range, 20 - 24mm O/D)	Per clamp
86/043603	Single clamp (cable range, 24 - 28mm O/D)	Per clamp
86/043604	Single clamp (cable range, 28 - 32mm O/D)	Per clamp
86/043605	Single clamp (cable range, 32 - 36mm O/D)	Per clamp
86/043606	Double clamp (cable range, 12 - 16mm O/D)	Per clamp
86/043607	Double clamp (cable range, 16 - 20mm O/D)	Per clamp
86/043608	Double clamp (cable range, 20 - 24mm O/D)	Per clamp
86/043609	Double clamp (cable range, 24 - 28mm O/D)	Per clamp
86/043610	Double clamp (cable range, 28 - 32mm O/D)	Per clamp