

WallMax® Group

WM Mini Series

WallMax® Mini Top & Mini Back Frames

WallMax® Mini Frames are lightweight mounting solution that can be installed from inside or outside on a cabinet, to seal the passage of cables through points of ingress.

Mini frames are made of light cast aluminium and are built with an integrated expander, with packing space designed to accommodate module combinations without need for retainer plates, to further reduce weight.

To meet installers' needs WallMax® Mini Frames come in two versions: Mini Top, with compression unit accessible from the top of the frame, and Mini Back, with access to the expander unit from the back.

Mini frames are used with WallMax® Modules Compact (depth=30mm).

Both pre-defined combinations of modules and customised solutions are available. WM Mini are designed for installation through bolting.

Key benefits:

- » Lightweight cast aluminium frames for control panels and electrical enclosures.
- » Installable from inside or outside the panel.
- » Integrated expander, with no retainer plates required.
- » Designed for use with compact 30mm depth modules.

Available in 2 versions:

- » Mini Top - compression unit accessed from the top.
- » Mini Back - compression unit accessed from the back.



Used with WallMax® Module Compact (WMC)

WallMax® Mini Frame Top (WM mini)

WallMax® Mini Frame Back (WM mini)



WallMax® Mini Top

The mini Top series is available as frame only or as pre-assembled kits with a pre-defined module combination. The kits be easily mounted and reassembled.

Material:

Aluminium



To be used in combination with

Code	Article	Packing space (mm)	External nominal dimensions (HxW D=30mm)		Weight	
			mm	in	kg	lb
7120231011	WM mini Top 4-10 1x1	100x40	173x80	6.811x3.146	0.46	0.931
7120231211	WM mini Top 4-12 1x1	120x40	216x88	8.504x3.465	0.59	1.195
7120231611	WM mini Top 4-16 1x1	160x40	233x80	9.173x3.150	0.54	1.093
7120231612	WM mini Top 4-16 1x2	2x(160x40)	241x135	9.488x5.315	1.02	2.065
7120231511	WM mini Top 5-15 1x1	150x50	223x92	8.779x3.622	0.59	1.195
7120231512	WM mini Top 5-15 1x2	2x(150x50)	231x155	9.094x6.102	1.21	2.450

Note: weights are approx.

WallMax® Group

WM Mini Series

Code	Article	Modules combinations (mm)							Packing spaces (mm)	Weight	
		WMC 15w40 (2.5-11.5)	WMC 20w40 (4-16.5)	WMC 30w40 (10-25)	WMC 40 (21.5-34.5)	WMC 40 10-34	WMC 10x40	WMC 5x40		kg	lb
712023 1011.01	WM mini Top 4-10 1x1-10	0	5	0	0	0	0	0	100x40	0.59	1.292
712023 1011.02	WM mini Top 4-10 1x1-16	4	2	0	0	0	0	0	100x40	0.59	1.292
712023 1011.03	WM mini Top 4-10 1x1-3	0	0	3	0	0	1	0	100x40	0.59	1.292
712023 1011.04	WM mini Top 4-10 1x1-11	2	2	1	0	0	0	0	100x40	0.59	1.292
712023 1011.05	WM mini Top 4-10 1x1-12	2	3	0	0	0	1	0	100x40	0.59	1.292
712023 1011.06	WM mini Top 4-10 1x1-4	0	1	0	2	0	0	0	100x40	0.59	1.292
712023 1011.07	WM mini Top 4-10 1x1-7	0	3	0	1	0	0	0	100x40	0.5	1.292
712023 1011.08	WM mini Top 4-10 1x1-4	0	1	0	2	0	0	0	100x40	0.59	1.292
712023 1211.01	WM mini Top 4-12 1x1-12	0	6	0	0	0	0	0	120x40	0.75	1.649
712023 1211.02	WM mini Top 4-12 1x1-24	8	0	0	0	0	0	0	120x40	0.75	1.649
712023 1211.03	WM mini Top 4-12 1x1-4	0	0	4	0	0	0	0	120x40	0.75	1.649
712023 1211.04	WM mini Top 4-12 1x1-3	0	0	0	0	3	0	0	120x40	0.75	1.649
712023 1211.05	WM mini Top 4-12 1x1-9	0	4	0	0	1	0	0	120x40	0.75	1.649
712023 1211.06	WM mini R 4-12 1x1-6	0	2	0	0	2	0	0	120x40	0.75	1.649
712023 1211.07	WM mini Top 4-12 1x1-18	4	3	0	0	0	0	0	120x40	0.75	1.649
712023 1611.01	WM mini Top 4-16 1x1-16	0	8	0	0	0	0	0	160x40	0.79	1.741
712023 1611.02	WM mini Top 4-16 1x1-22	4	5	0	0	0	0	0	160x40	0.79	1.741

Note: weights are approx.

Code	Article	Modules combinations (mm)							Packing spaces (mm)	Weight	
		WMC 15w40 (2.5-11.5)	WMC 20w40 (4-16.5)	WMC 30w40 (10-25)	WMC 40 (21.5-34.5)	WMC 40 10-34	WMC 10x40	WMC 5x40		kg	lb
712023 1611.03	WM mini Top 4-16 1x1-5	0	0	5	0	0	1	0	160x40	0.79	1.741
712023 1611.04	WM mini Top 4-16 1x1-4	0	0	0	0	4	0	0	160x40	0.79	1.741
712023 1611.05	WM mini Top 4-16 1x1-14	2	3	1	1	0	0	0	160x40	0.79	1.741
712023 1611.06	WM mini Top 4-16 1x1-13	0	6	0	0	0	0	0	160x40	0.79	1.741
712023 1611.07	WM mini Top 4-16 1x1-19	4	3	0	0	1	0	0	160x40	0.79	1.741
712023 1611.08	WM mini Top 4-16 1x1-24	6	3	0	0	0	1	0	160x40	0.79	1.741
712023 1611.09	WM mini Top 4-16 1x1-7	0	2	0	0	3	0	0	160x40	0.79	1.741
712023 1611.10	WM mini Top 4-16 1x1-10	0	4	0	0	2	0	0	160x40	0.79	1.741
712023 1612.01	WM mini Top 4-16 1x2-32	0	16	0	0	0	0	0	2x(160x40)	1.40	3.082
712023 1612.02	WM mini Top 4-16 1x2-20	0	8	0	0	4	0	0	2x(160x40)	1.40	3.082
712023 1612.03	WM mini Top 4-16 1x2-14	0	4	0	0	6	0	0	2x(160x40)	1.40	3.082
712023 1612.04	WM mini Top 4-16 1x2-8	0	0	0	0	8	0	0	2x(160x40)	1.40	3.082
712023 1612.05	WM mini Top 4-16 1x2-11	0	0	8	1	0	2	0	2x(160x40)	1.40	3.082

Code	Article	Packing space (mm)	WMC 50		Weight	
			28-44mm	10-44mm	kg	lb
712023 1511.01	WM mini Top 5-15 1x1-3	150x50	3	0	0.86	1.895
712023 1511.02	WM mini Top 5-15 1x1-3	150x50	0	3	0.86	1.895
712023 1512.01	WM mini Top 5-15 1x2-6	2x(150x50)	0	6	1.74	3.836
712023 1512.02	WM mini Top 5-15 1x2-6	2x(150x50)	6	0	1.74	3.836

Note: weights are approx.

WallMax® Group

WM Mini Series

WallMax® Mini Back

The mini Back series is available as frame only or as pre-assembled kits with a pre-defined module combination. The kits be easily mounted and reassembled.

Material:

Aluminium



To be used in combination with

Code	Article	Packing space (mm)	External nominal dimensions (HxW D=30mm)		Weight	
			mm	in	kg	lb
712024 1011	WM mini Back 4-10 1x1	100x40	173x80	6.811x3.146	0.42	0.850
712024 1211	WM mini Back 4-12 1x1	120x40	216x88	8.504x3.465	0.54	1.093
712024 1611	WM mini Back 4-16 1x1	160x40	233x80	9.173x3.150	0.50	1.012
712024 1612	WM mini Back 4-16 1x2	2x(160x40)	241x135	9.488x5.315	0.93	1.883
712024 1511	WM mini Back 5-15 1x1	150x50	223x92	8.779x3.622	0.52	1.053
712024 1512	WM mini Back 5-15 1x2	2x(150x50)	231x155	9.094x6.102	1.09	2.207

Note: weights are approx.

Code	Article	Modules combinations (mm)							Packing spaces (mm)	Weight	
		WMC 15w40 (2.5-11.5)	WMC 20w40 (4-16.5)	WMC 30w40 (10-25)	WMC 40 (21.5-34.5)	WMC 40 10-34	WMC 10x40	WMC 5x40		kg	lb
712024 1011.01	WM mini Back 4-10 1x1-10	0	5	0	0	0	0	0	100x40	0.54	1.190
712024 1011.02	WM mini Back 4-10 1x1-16	4	2	0	0	0	0	0	100x40	0.54	1.190
712024 1011.03	WM mini Back 4-10 1x1-3	0	0	3	0	0	1	0	100x40	0.54	1.190
712024 1011.04	WM mini Back 4-10 1x1-11	2	2	1	0	0	0	0	100x40	0.54	1.190
712024 1011.05	WM mini Back 4-10 1x1-12	2	3	0	0	0	1	0	100x40	0.54	1.190
712024 1011.06	WM mini Back 4-10 1x1-4	0	1	0	2	0	0	0	100x40	0.54	1.190
712024 1011.07	WM mini Back 4-10 1x1-7	0	3	0	0	1	0	0	100x40	0.54	1.190
712024 1011.08	WM mini Back 4-10 1x1-4	0	1	0	0	2	0	0	100x40	0.54	1.190
712024 1211.01	WM mini Back 4-12 1x1-12	0	6	0	0	0	0	0	120x40	0.70	1.543
712024 1211.02	WM mini Back 4-12 1x1-24	8	0	0	0	0	0	0	120x40	0.70	1.543
712024 1211.03	WM mini Back 4-12 1x1-4	0	0	4	0	0	0	0	120x40	0.70	1.543
712024 1211.04	WM mini Back 4-12 1x1-3	0	0	0	0	3	0	0	120x40	0.70	1.543
712024 1211.05	WM mini Back 4-12 1x1-9	0	4	0	0	1	0	0	120x40	0.70	1.543
712024 1211.06	WM mini Back 4-12 1x1-6	0	2	0	0	2	0	0	120x40	0.70	1.543
712024 1211.07	WM mini Back 4-12 1x1-18	4	3	0	0	0	0	0	120x40	0.70	1.543

Note: weights are approx.

WallMax® Group

WM Mini Series

Code	Article	Modules combinations (mm)							Packing spaces (mm)	Weight	
		WMC 15w40 (2.5-11.5)	WMC 20w40 (4-16.5)	WMC 30w40 (10-25)	WMC 40 (21.5-34.5)	WMC 40 10-34	WMC 10x40	WMC 5x40		kg	lb
712024 1611.01	WM mini Back 4-16 1x1-16	0	8	0	0	0	0	0	160x40	0.74	1.631
712024 1611.02	WM mini Back 4-16 1x1-22	4	5	0	0	0	0	0	160x40	0.74	1.631
712024 1611.03	WM mini Back 4-16 1x1-5	0	0	5	0	0	1	0	160x40	0.74	1.631
712024 1611.04	WM mini Back 4-16 1x1-4	0	0	0	0	4	0	0	160x40	0.74	1.631
712024 1611.05	WM mini Back 4-16 1x1-14	2	3	1	0	1	0	0	160x40	0.74	1.631
712024 1611.06	WM mini Back 4-16 1x1-13	0	6	0	0	1	0	0	160x40	0.74	1.631
712024 1611.07	WM mini Back 4-16 1x1-19	4	3	0	0	1	0	0	160x40	0.74	1.631
712024 1611.08	WM mini Back 4-16 1x1-24	6	3	0	0	0	1	0	160x40	0.74	1.631
712024 1611.09	WM mini Back 4-16 1x1-7	0	2	0	0	3	0	0	160x40	0.74	1.631
712024 1611.10	WM mini Back 4-16 1x1-10	0	4	0	0	2	0	0	160x40	0.74	1.631
712024 1612.01	WM mini Back 4-16 1x2-32	0	16	0	0	0	0	0	2x(160x40)	1.30	2.866
712024 1612.02	WM mini Back 4-16 1x2-20	0	8	0	0	4	0	0	2x(160x40)	1.30	2.866
712024 1612.03	WM mini Back 4-16 1x2-14	0	4	0	0	6	0	0	2x(160x40)	1.30	2.866
712024 1612.04	WM mini Back 4-16 1x2-8	0	0	0	0	8	0	0	2x(160x40)	1.30	2.866
712024 1612.05	WM mini Back 4-16 1x2-11	0	0	8	1	0	2	0	2x(160x40)	1.30	2.866
712024 1612.06	WM mini Back 4-16 1x2-16	0	4	8	0	0	0	0	2x(160x40)	1.30	2.866
712024 1612.07	WM mini Back 4-16 1x2-26	0	12	0	0	2	0	0	2x(160x40)	1.30	2.866

Note: weights are approx.

Code	Article	Modules combinations (mm)							Packing spaces (mm)	Weight	
		WMC 15w40 (2.5-11.5)	WMC 20w40 (4-16.5)	WMC 30w40 (10-25)	WMC 40 (21.5-34.5)	WMC 40 10-34	WMC 10x40	WMC 5x40		kg	lb
712024 1612.08	WM mini Back 4-16 1x2-60	20	0	0	0	0	2	0	2x(160x40)	1.30	2.866
712024 1612.09	WM mini Back 4-16 1x2-19	0	7	3	0	2	1	0	2x(160x40)	1.30	2.866
712024 1612.10	WM mini Back 4-16 1x2-18	0	6	4	0	2	0	0	2x(160x40)	1.30	2.866
712024 1612.11	WM mini Back 4-16 1x2-38	8	6	0	0	2	0	0	2x(160x40)	1.30	2.866
712024 1612.12	WM mini Back 4-16 1x2-10	0	0	10	0	0	2	0	2x(160x40)	1.30	2.866
712024 1612.13	WM mini Back 4-16 1x2-17	0	6	0	0	5	0	0	2x(160x40)	1.30	2.866

Code	Article	Packing space (mm)	WMC 50		Weight	
			28-44mm	10-44mm	kg	lb
712024 1511.01	WM mini Back 5-15 1x1-3	150x50	3	0	0.81	1.785
712024 1511.02	WM mini Back 5-15 1x1-3	150x50	0	3	0.81	1.785
712024 1512.01	WM mini Back 5-15 1x2-6	2x(150x50)	0	6	1.71	3.770
712024 1512.02	WM mini Back 5-15 1x2-6	2x(150x50)	6	0	1.71	3.770

Note: weights are approx.